



STANDARD EDITION	SPECIAL EDITION	RIDE CONNECT EDITION	RIDE CONNECT TFT EDITION
<ul style="list-style-type: none"> Metallic Mat Black No. 2 (YKV) Pearl Grace White (Q1S) 	<ul style="list-style-type: none"> Metallic Mat Stellar Blue (YUA) Pearl Grace White (Q1S) Solid Ice Green (Q2A) 	<ul style="list-style-type: none"> Metallic Mat Stellar Blue (YUA) Metallic Mat Black No. 2 (YKV) Solid Ice Green (Q2A) Pearl Shiny Beige (YLB) 	<ul style="list-style-type: none"> Metallic Mat Black No. 2 (YKV) Metallic Mat Stellar Blue (YUA) Pearl Grace White (Q1S) Solid Ice Green (Q2A) PEARL MAT AQUA SILVER (Q2D)

Engine	
Type	4-Stroke, 1-Cylinder, Air Cooled
Valve System	SOHC, 2-Valve
Displacement	124 cm ³
Bore x Stroke (mm)	52.5 x 57.4 mm
Engine Output	6.2 kW @ 6500 rpm
Torque	10.2 Nm @ 5000 rpm
Fuel System	Fuel Injection
Starter System	Kick & Electric
Transmission Type	CVT

Dimensions and Weight	
Overall Length	1835 mm
Overall Width	680 mm (Std) 690 mm (SE/RC)
Overall Height	1155 mm
Wheelbase	1260 mm
Ground Clearance	160 mm
Seat Length	856 mm
Kerb Mass	106 kg (Std) 105 kg (SE/RC)
Wheels	Alloy/Cast
Fuel Tank	5.3 L

Suspension	
Front	Telescopic
Rear	Swing Arm

Tyre Size	
Front	90/90-12 54J
Rear	90/100-10 53J

Brake	
Front	Drum/Disc
Rear	Drum

Electrical	
Battery	Maintenance-free 12V, 4Ah
Headlight	LED
Tail Lamp	LED

V.G. Automobiles Pvt. Ltd.
 Authorized Distributors for Suzuki Motor Corporation,
 Naxal - 1, Kathmandu
 For Service Enquiry : 9801344312
 For Spare Parts Enquiry : 9801311264
 Office : 01-5913058/59

AUTHORIZED DEALER



60,000 km (Scooter)
70,000 km (Bikes)

SuzukiMotorcycleNepal
 SuzukiMotorcycleNepal
 SuzukiMotorcycleNepal
 www.suzukimotorcycle.com.np

The specification and design of scooter shown here may vary according to the requirements and are subject to change without prior notice, Colours shown may not match the actual colours due to printing limitations.



All New ACCESS



SUPERIOR ACCELERATION		LOW FUEL CONSUMPTION		
Ideal Combustion Efficiency	High Compression Ratio	Low Friction And Mechanical Loss	Light, Compact Engine Design	Optimised CVT Settings

Powered By Suzuki Eco Performance Technology

The Engine is powered by cutting edge Suzuki Eco Performance (SEP) technology which is the forward-looking engine development concept behind the creation of the powerplant for Access. The resulting engine delivers Superior Fuel Efficiency while also achieving Powerful Acceleration.



SUPERIOR ACCELERATION

Ideal Combustion Efficiency

High Compression Ratio

Low Friction And Mechanical Loss

Light, Compact Engine Design

Optimised CVT Settings

LOW FUEL CONSUMPTION

Suzuki Ride Connect* TFT Edition with Digital coloured TFT cluster**



Navigate to your destination confidently. The Bluetooth® Enabled Digital Console gives you Big and Bold Turn-by-Turn Navigation icons, keeping you on the right route every time.

Incoming Caller ID, WhatsApp Call/Message



Digital Wallet



Periodic Vehicle Service Alerts



Fuel Consumption Information



Navigation & Last Park Location Information



Alerts - Weather, Traffic, Speed Exceeding




ETA Updates



Fuel Level Indicator

Disclaimer: **Certain features as available in Android™ OS only. Certain features are accessible through Suzuki Ride Connect application only. *Suzuki Ride Connect Application is available for Android™ OS Version 10.0 onwards and for iOS version 13.0 onwards. Android is a trademark of Google LLC, iOS is a registered trademark of Cisco in the U.S. and other countries and is used under license. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Suzuki is under license.

DESIGN



Classic Urban Styling



Iconic U-Shaped Design



LED Head Lamp




Chrome Finish Mirrors

CONVENIENCE



Dual Front Pockets



Front USB Charging Point



One Push Central Lock System



Engine Start & Stop Switch with Suzuki Easy Start



24.4 L Under Seat Storage



Dual Convenient Utility Hooks



Dual Under Seat Utility Hooks



5.3 L Fuel Tank Capacity

COMFORT

SAFETY



Long & Ergonomic Seat



Long Floor Board



Telescopic Front Suspension



Swing Arm Rear Suspension



3D & Non-Slip Grids Floorboard



Ø305 mm Bottom Leg Space



Aluminium Foot Rest



Hazard Switch



Parking Brake



Passing Switch



Side Stand Interlock



Front Disc Brake



Steel Front Fender & Leg Shield



Low-Rolling Resistance Rear Tyre



Highly Rigid Frame

GENUINE ACCESSORIES^



Meter Visor



Floor Mat Black



Floor Mat Red



Rear Foot Rest



Seat Cover Maroon



Seat Cover Brown



Seat Cover Dark Brown